


# SWIMMING POOLS

ENCLOSURES & CHEMICALS & ACCESSORIES

# Mountfield

CATALOGUE  
2012





# MOUNTFIELD, a.s.

## Czech Republic

- ▶ Established in 1990
- ▶ One of the largest producers and retailer of garden machinery and swimming pools in Europe
- ▶ 55 fully-owned sales outlets in the Czech Republic and a further 17 in Slovakia
- ▶ Since 2006 we have been selling our swimming pools, pool enclosures, pool chemicals and accessories all over the world
- ▶ Our commitment is to continue and constantly improve all aspects of our business
- ▶ Top quality and modern design
- ▶ No minimum quantity orders
- ▶ Flexible, fast and inexpensive deliveries



Production of steel pools, solar absorbers, solar showers, mobile roofing and accessories



Fibreglass pools factory



One of the largest factories of pool enclosures in Europe. The company is of purely Czech origin, with a long tradition of know-how together with the best quality.



Production of steel pools and pool chemicals

## Contents


FIBREGLASS POOLS	Calypso	4–7
STEEL POOLS	Ibiza	8–11
STEEL POOLS		12–17
BASIC SERIES	Azuro Basic ROUND shape	14
DE LUXE SERIES	Azuro De Luxe ROUND shape	15–16
	Azuro De Luxe OVAL shape	17
POOLS ENCLOSURE		18–21
ACCESSORIES	Solar Heating Panels	22
	Solar Showers	23
	Ladders	23
	Filters	24
	Heat Pumps	25
	Jet Stream Aquajet	26
	Vacuum Cleaners	26
	Accessories	27
	Solar Covers	28
	Debris Covers	28
	Felt Underlay	28
CHEMICALS		29–31



# FIBREGLASS pools

*Calypso*





Calypso pools are one of the most popular family swimming pools. Thanks to the materials and technologies used, they are extremely strong but elegant and highly-developed. An indisputable advantage of these pools is their monolithic design. The integrated inner steps and the range of surface colour design will appeal to every customer.

# FIBREGLASS pools


## *Calypso*

### Advantages of Calypso pools

- ▶ Strong construction
- ▶ Monolithic design
- ▶ Integrated steps (totally within the pool)
- ▶ High quality surface and thermal insulation
- ▶ Easy construction preparation
- ▶ Easy mounting

### High Quality Surface and Thermal Insulation

Inner surface of the pool coated with a special Aqua-Guard paint. It provides an elegant design, strong protection against UV radiation and strong protection against chemical action. The external surface consists of a layer of hardened polyurethane foam, providing excellent thermal insulation and high strength.



- ① Colour Aqua-Guard with upper protective layer
- ② Layer of vinyl-ester resin
- ③ Reinforcement of fibreglass (laminate glass)
- ④ Thermal insulation (hardened PUR foam)



### Standard colours



mid blue



bermuda blue

Other colours on request




*Rhodos*



**3BZA2068**  
(length x width x depth)  
7.50 x 3.50 x 1.40 m

*Orion*



**3BZA2067**  
(length x width x depth)  
7.50 x 3.50 x 1.50 m

*Pegas*



**3BZA2120**  
(length x width x depth)  
6.20 x 3.10 x 1.40 m

*Olymp*



**3BZA2060**  
(length x width x depth)  
4.50 x 3.00 x 1.20 m

*Ikaros*



**3BZA2062**  
(length x width x depth)  
6.00 x 3.00 x 1.40 m

**NEW**

*Vega*



**3BZA2269**  
(length x width x depth)  
7.50 x 3.50 x 1.50 m

**NEW**

*Atlas*



**3BZA2271**  
(length x width x depth)  
6.00 x 3.00 x 1.40 m

#### Recommended accessories

Item no.	3BPZ0050	Light set 300 W
	3BPZ0015	Connect. Cofies
	3BPZ0125	Transformer 300 W
	3BTE0111	Control filter + light
	3EXX0022	Sand filter 11 m <sup>3</sup> /h
	3BTE0237	Chlorator 3 kg
	3BTE0160	Skimmer
	3BTE0182	Jet recirculation
	3BTZ0002	Sand 25 kg

**STEEL** pools

*Ibiza*





Ibiza pools have been the most popular family swimming pools for a long time. Their popularity is due to the high quality of materials used and their elegant design, highlighted by the colourful mosaic of the wall. Thanks to its regular shape it can be easily combined with the pool enclosure, model Trend. The pool wall thickness is 0.8 mm and the pool liner thickness is 0.5 mm.

# STEEL pools


## Ibiza

### Advantages of Ibiza pools

- ▶ Pool **wall** thickness **0.8 mm**
- ▶ Pool **liner** thickness **0.5 mm**
- ▶ Special anticorrosive plastic layer guarantees a long life
- ▶ High quality liner with UV stabilizer and protection against chemical action
- ▶ Elegant design of liner mosaic
- ▶ Stainless steps with non-slip protection

**NEW**

Pool liner mosaic thickness 0.5 mm



### Overview of Ibiza pools:

Item no.		Length (m)	Width (m)	Depth (m)	Capacity (m³)
3BZA1063	Ibiza DL 0-120	5.25	3.20	1.20	18
3BZA1064	Ibiza DL 1-120	6.00	3.20	1.20	20
3BZA1065	Ibiza DL 2-120	7.00	3.50	1.20	25
3BZA1066	Ibiza DL 3-120	8.00	4.16	1.20	35
3BZA1070	Ibiza DL 0-150	5.25	3.20	1.50	22
3BZA1071	Ibiza DL 1-150	6.00	3.20	1.50	26
3BZA1072	Ibiza DL 2-150	7.00	3.50	1.50	31
3BZA1073	Ibiza DL 3-150	8.00	4.16	1.50	44

All sizes available in depth 1.20 m and 1.50 m.



## Swimming pool construction

The walls of the swimming pool are assembled from thick-walled zinc-coated metal plates, which, in addition, are protected by a special anticorrosive plastic layer and therefore represent a guarantee of the long-term operating lifetime of the swimming pool inserted in-ground. A high quality liner with a UV stabilizer forms the inner face layer of the swimming pool.



## Recommended accessories

Item no.	3BPZ0041	Ladder Slim 4-steps width 43 mm
	3EXB0020	Sand filter Hayward 7 m <sup>3</sup> /h – 220 V
	3BTE0160	Skimmer with a standard inlet
	3BTZ0002	Sand 25 kg
	3BTE0182	Jet recirculation
	3EXB0038	Azuro AquaJet 50
	3BTE0209	Lamp UVC – 15 m <sup>3</sup> 16 W
	3BPZ0015	Box for a light copies
	3BPZ0050	Complete light
	3BPZ0125	Transformer for 1 light – 300 W
	3BTE0237	Chlorator 3 kg



# STEEL pools

## *Azuro*



Azuro family pools are steel pools divided into two series, Azuro De Luxe and Azuro Basic. Thanks to their special construction and the high quality of materials used, they can be installed above or in-ground. Azuro pools can be equipped with a wide range of accessories.

## Azuro overview

	Size	Depth	Shape	Colour	Liner		Ladders	Skimmer	Skimfilter 2500 - 12 V	Skimfilter Azuro 2000 basic - 12V	Without filter
package all in one box	360	3.6 m	0.9 m	round	white	LAGOON blue 0.225 mm	2-steps	yes	yes	yes	yes
460	4.6 m	0.9 m	round	white	LAGOON blue 0.225 mm	2-steps	yes	yes	yes	yes	yes
300A	3.6 m	0.9 m	round	blue	LAGOON blue 0.225 mm	2-steps	yes	yes	yes	yes	yes
301	4.6 m	0.9 m	round	blue	LAGOON blue 0.225 mm	2-steps	yes	or	yes	yes	yes
400DL	3.6 m	1.07 m	round	brown (wood effect)	swirl 0.25 mm	3-steps	yes	yes	yes	yes	yes
401DL	4.6 m	1.07 m	round	brown (wood effect)	swirl 0.25 mm	3-steps	yes	yes	yes	yes	yes
402DL	4.6 m	1.2 m	round	brown (wood effect)	swirl 0.25 mm	3-steps	yes	yes	yes	yes	yes
	403DL	5.5 m	1.2 m	round	brown (wood effect)	swirl 0.425 mm	3 boxes	3-steps	stainless		
404DL	5.5 x 3.7 m	1.2 m	oval	brown (wood effect)	swirl 0.425 mm	5 boxes	LADDER TO ORDER	3-steps	stainless		
405DL	7.3 x 3.7 m	1.2 m	oval	brown (wood effect)	swirl 0.425 mm	5 boxes		3-steps	stainless		
406DL	6.4 m	1.2 m	round	brown (wood effect)	swirl 0.425 mm	3 boxes		3-steps	stainless		
407DL	9.1 x 4.6 m	1.2 m	oval	brown (wood effect)	swirl 0.425 mm	5 boxes		3-steps	stainless		

### Blue steel

1. Protective steel varnish
2. Zn basecoat
3. Steel
4. Zn basecoat
5. Primary colour
6. Colour Blue LAGOON®



### Wood steel

1. Protective steel varnish
2. Zn basecoat
3. Steel
4. Zn basecoat
5. Colour Wood Brown
6. Decorative colour
7. Coating varnish



# AZURO STEEL pools

## *Basic Serie*



### Advantages of Azuro BASIC pools

- ▶ Custom fit packing – all in one package
- ▶ High quality wall, thickness 0.35 mm
- ▶ Blue LAGOON liner 0.225 mm

### Overview of models:

- ▶ 360, 460 (diameter 3.6 m and 4.6 m) in white
- ▶ 300A, 301 (diameter 3.6 m and 4.6 m) in blue


### Specifications

Shape	round	
Diameter	3.6 x 0.9 m	4.6 x 0.9 m
Capacity	9 000 l	15 000 l
Weight of box	49.5 kg	80.5 kg
Package	380 x 380 x 1180 mm	
Recomm. filter from	2 m <sup>3</sup> /h	



### Package contains (1 box)

wall	liner	ladder	top/bottom rails	verticals	skim filter/skimmer
steel 0.35 mm	blue 0.225 mm	2-steps	plastic	x	yes*



### Recommended Accessories


- ▶ Skimfilter Azuro 2500 – 12 V
- ▶ Skimfilter Azuro Basic – 12 V
- ▶ Spare cartridge
- ▶ Skimmer + sand filter 5 m<sup>3</sup>/h
- ▶ Solar cover 3.6 m / 4.6 m
- ▶ Felt underlay 3.6 m / 4.6 m
- ▶ Debris cover 3.6 m / 4.6 m
- ▶ Solar heating 3.6 m<sup>2</sup>
- ▶ Solar heating 3.6 m<sup>2</sup>

# AZURO STEEL pools

## *De Luxe Serie*



all in  
one  
package



### Recommended Accessories

- Skimfilter Azuro 2500 – 12 V
- Spare cartridge
- Skimmer
- Sand filter 5 m<sup>3</sup>/h
- Solar cover 3.6 m / 4.6 m
- Felt underlay 3.6 m / 4.6 m
- Debris cover 3.6 m / 4.6 m
- Solar heating 3.6 m / 4.6 m



### Package contains (1 box)

wall	liner	ladder	top/bottom rails	verticals	skim filter/skimmer
steel 0.4 mm	swirl 0.25 mm	3-steps	plastic	x	yes*

### Advantages of Azuro De Luxe pools

- High quality wall with wood colour finish, thickness 0.4 mm
- Swirl liner 0.25 mm
- Construction and anticorrosive finish allows an above or in-ground installation

### Overview of models:

- 400DL (3.6 x 1.07 m)
- 401DL (4.6 x 1.07 m)
- 402DL (4.6 x 1.2 m)

### Specifications

Shape	round		
Diameter	3.6 x 1.07 m	4.6 x 1.07 m	4.6 x 1.2 m
Capacity	11 000 l	18 000 l	20 000 l
Weight of box	66 kg	81 kg	90 kg
Package size	550 x 360 x 1400 mm		
Recomm. filter from	skimfilter 2500 – 12 V / sand filter 5 m <sup>3</sup> /h		

# AZURO STEEL pools


## *De Luxe Serie*

### Advantages of Azuro De Luxe pools

- High quality wall with wood colour finish, thickness 0.4 mm
- Swirl liner 0.425 mm
- Construction and anticorrosive finish allows an above or in-ground installation

### Overview of models:


- 403DL (5.5 x 1.2 m)
- 406DL (6.4 x 1.2 m)



### Specifications

Shape	round	
Diameter	5.5 x 1.2 m	6.4 x 1.2 m
Capacity	28 000 l	39 000 l
Weight of package	117 kg	154 kg
Recomm. filter from	6 m <sup>3</sup> /h	

### 3 packages



### Package contains

wall	liner	ladder	top/bottom rails	verticals	skim filter/ skimmer
steel 0.4 mm	swirl 0.425 mm	x	steel	steel	x



### Recommended Accessories

- Ladder
- Skimmer
- Sand filter 7 m<sup>3</sup>/h
- Solar cover 5.5 m
- Felt underlay 5.5 m / 6.4 m
- Debris cover 5.5 m / 6.4 m
- Solar heating 5.4 m<sup>2</sup>


# AZURO STEEL pools

## *De Luxe Serie*



### Recommended Accessories

- ▶ Ladder
- ▶ Skimmer
- ▶ Sand filter from 7 m<sup>3</sup>/h
- ▶ Felt underlay (per size)
- ▶ Solar cover (per size)
- ▶ Debris cover (per size)
- ▶ Solar heating 5.4 m<sup>2</sup>



### Package contains

wall	liner	ladder	top/bottom rails	verticals	skim filter/ skimmer
steel 0.4 mm	swirl 0.425 mm	x	steel	steel	x

5 packages






### Advantages of Azuro De Luxe pools

- ▶ High quality wall with wood colour finish, thickness 0.4 mm
- ▶ Swirl liner 0.425 mm
- ▶ Construction and anticorrosive finish allows an above or in-ground installation

### Overview of models:

- ▶ 404DL (5.5 x 3.7 m)
- ▶ 405DL (7.3 x 3.7 m)
- ▶ 407DL (9.1 x 4.6 m)



### Specifications

Shape	oval		
Height	1.2 m		
Diameter	3.7 x 5.5 m	3.7 x 7.3 m	4.6 x 9.1 m
Capacity	21 000 l	29 000 l	45 000 l
Weight of package	137 kg	202 kg	229 kg
Recomm. filter from	7 m <sup>3</sup> /h	7 m <sup>3</sup> /h	9 m <sup>3</sup> /h

# POOL ENCLOSURES

## Advantages of pools enclosures:

- ▶ Extend the swimming season
  - ▶ Increase solar effect – the walls heat a water when sun shine
  - ▶ Reduce heating loss and cost
  - ▶ Protection against children and pets from the falling into the pool
  - ▶ Better water quality
  - ▶ Fewer water quality controls and less use of chemicals
  
  - ▶ Variable sizes, profile colours and polycarbonate colours according customer request
- NEW**
- ▶ The standard pool enclosures we are able to pack in the boxes.

## Technical parameters:

- ▶ Alumminium alloy construction (thickness 40 x 60 mm)
- ▶ Elox surface
- ▶ Sliding rails with both side movement
- ▶ Wall from clear polycarbonate (thickness 10 mm) – UV resistant
- ▶ Lockable door



Construction strength test



## Technical details

Sliding door



Walking track



Sealing brushes




Lockable door



Wheel bearings



Colour variety  
of polycarbonate



## Trend



Internal width, height, max length (m)

Trend Olymp	3.20 x 4.60 x 1.03
Trend 3	3.32 x 6.30 x 1.13
Trend Economic	3.80 x 8.40 x 1.32
Trend 4	4.28 x 8.40 x 1.51
Trend 5	5.14 x 10.50 x 1.78


## Apollo



Internal width, centre height,  
total length (m)

3.5 – 5.0, 1.8 – 2.4, 4.2 – 10.5  
2 – 8 modules

## Compact



Internal width, centre height,  
total length (m)

4.0 – 6.0, 0.9 – 1.5, 4.2 – 10.5  
2 – 8 modules

## Imperial



Internal width, centre height,  
total length (m)

3.5 – 6.0, 0.8 – 1.5, 4.2 – 10.5  
2 – 8 modules

# MOBILE ROOFING

## Advantages of mobile roofing:

- ▶ Fully movable pool enclosure
- ▶ Easy and fast mounting
- ▶ Construction and materials for using several years
- ▶ Textile VALMEX AIRTEX is fully UV resistant and waterproof
- ▶ Possibility to open all sides
- ▶ Wide range of uses (party pavilion, table tennis, etc.)





## Specifications

Item no.	oval shape	diameter	weight
3BPZ0100		4.1 x 6.2 x 2.2 m	64 kg
3BPZ0101		4.1 x 8.1 x 2.2 m	82 kg
3BPZ0103		4.9 x 7.0 x 2.6 m	72 kg
3BPZ0104		4.9 x 8.9 x 2.6 m	89 kg
3BPZ0123		4.1 x 10.0 x 2.2 m	93 kg
3BPZ0124		4.9 x 10.8 x 2.6 m	106 kg



## Specifications


Item no.	oval shape	diameter	weight
3BPZ0099		4.1 x 2.2 m	42 kg
3BPZ0102		4.9 x 2.6 m	49 kg



# SOLAR HEATING PANELS

## Package contains:

- solar panel (rolled)
- fitting included



## Accessories

### Item No.

3BVZ0097	Supporting stand 3.6 m <sup>2</sup>
3BVZ0098	Supporting stand 5.6 m <sup>2</sup>

## Specifications

Model	Item No.	Dimensions (m)	Valve	For pools	Hose connector 32/38	Plug connector	Hose clamp	Gross weight (kg)	Size (mm)	Pcs on palette	Pcs in the truck
5.4 m <sup>2</sup>	3EXB0013	1.2 x 4.5	Yes	up to 45 m <sup>3</sup>	2	2	6	7	400 x 400 x 1450	10	330
3.6 m <sup>2</sup>	3EXB0012	1.2 x 3	Yes	up to 25 m <sup>3</sup>	2	2	6	6	400 x 400 x 1450	10	330
3.6 m <sup>2</sup>	3EXB0014	0.6 x 6	No	up to 25 m <sup>3</sup>	2	2	6	6	400 x 400 x 850	12	396
1.8 m <sup>2</sup>	3EXB0027	0.6 x 3	No	up to 15 m <sup>3</sup>	2	2	6	5	400 x 400 x 850	12	396

# SOLAR SHOWERS

## Specifications

	<b>Aluminium shower</b>
<b>Item No.</b>	<b>3BPZ0122</b>
<b>Material</b>	Aluminium, stainless
<b>Body of water</b>	35 l
<b>Weight of shower</b>	14.5 kg
<b>Height of shower</b>	2200 mm
<b>Carton size</b>	270 x 250 x 2250 mm
<b>Quantity on palette</b>	20 pcs



## Plastic shower

	<b>3BPZ0082</b>
Polypropylene, plastic	
	35 l
	12.5 kg
	2200 mm
	270 x 250 x 2250 mm
	20 pcs



## Plastic shower BASIC

	<b>3EXX0006</b>
Polypropylene, plastic	
	17 l
	10 kg
	2000 mm
	360 x 230 x 1100 mm
	20 pcs



**NEW**



# POOL LADDERS

**3EXX0016**  
Azuro Basic  
ladder



for pool up to  
0.95 m high

**3BPZ0068**  
Azuro DL ladder



for pool up to  
1.2 m high

**3BPZ0042**  
3-step stainless  
steel ladder



All stainless ladders are made in width 500 mm and handle diameter 43 mm.

**3BPZ0040**  
3-step stainless  
steel ladder SLIM



**3BPZ0043**  
4-step stainless  
steel ladder



**3BPZ0041**  
4-step stainless  
steel ladder SLIM



# POOL FILTERS

PRO S144T



PRO S166T



PRO S210T



PRO S210S



## Skimmer



3BTE0161

Recommended for all  
Azuro pools

Return fitting including  
Hose adapter 32 mm  
and 38 mm

### Specifications

### Unit

Item No.		3EXB0019	EXB0020	EXB0021	EXB0022
Optimum Flow Rate	m³/h	5	7	9	11
Sand Quantity	kg	25	50	100	100
Filter diameter	mm	350	400	500	500
Power	W	390	450	600	690
Voltage	V/Hz	220 – 240 / 50	220 – 240 / 50	220 – 240 / 50	220 – 240 / 50
Connection inlet/outlet	in	5/4 or 6/4	5/4 or 6/4	5/4 or 6/4	x
Size (height/width/depth)	mm	430 x 175 x 240	430 x 175 x 240	490 x 310 x 210	490 x 310 x 210
Gross weight	kg	6.8	7.5	18.5	20
Pcs (palette)	pcs	12	12	8	8

### SKIMFILTER Azuro 2500 – 12 V

Recommended for pools: Azuro300A, 300B, 301



for the **OUTER SIDE** pool  
wall instalation

### Accessories

Spare cartridge 3EXX0008



for the **INNER SIDE**  
pool wall instalation

### SKIMFILTER Azuro 2000 – 12 V

Recommended for pools: Azuro300A, 300B, 301

Item No.	3EXX0007
Voltage (V/Hz)	12 V – 50 Hz
Power (W)	20
Flow rate (l/h)	2000
weight (kg)	2.2
Cartridge diameter (mm)	40

### Accessories

Spare cartridge 3EXX0017

# HEAT PUMPS

BP-50WS      BP-85HS      BP-100HS



## Specifications

	Unit	3BTE0307	3BTE0308	3BTE0309
Item No.				
Heating Capacity	kW	5.0	8.5	10.5
COP	W/W	5.0	5.3	5.3
Cooling Capacity	kW	x	6.8	8.5
EER	W/W	x	4	4
Power Input	kW	1.0	1.6	2.0
Current	A	5.8	7.9	9.8
Power Supply	V/Hz	230 / 50	230 / 50	230 / 50
Heating exchanger		titanium in PVC	titanium in PVC	titanium in PVC
Coolant		R410A	R410A	R410A
Water Flow Volume	m³/h	3	3.5	4
Water Connection	mm	50	50	50
Fan Quantity		1	1	1
Fan Input	W	70	85	100
Fan Rotate Speed	RPM	830	900	850
Fan Direction		horizontal	horizontal	horizontal
Noise	dB(A)	51	53	54
Net Unit size (L/W/H)	mm	955 x 305 x 555	955 x 305 x 555	1005 x 305 x 610
Carton Size (L/W/H)	mm	1055 x 405 x 595	1055 x 405 x 595	1140 x 405 x 640
Net/Gross Weight	kg	49 / 54	54 / 57	65 / 67
PCS (palette)		6	6	6

## Differences

Defrosting function	No	Yes	Yes
4-way valve	No	Yes	Yes

## Protection functions

Maximum and minimum pressure	Yes	Yes	Yes
Maximum pressure during defrosting		Yes	Yes

## Advantages of heat pumps

- ▶ Heat water in any weather
- ▶ 80% of free heat
- ▶ Extend the swimming season
- ▶ Easy handling and assembly
- ▶ Eco-friendly way of heating
- ▶ Modern design




# JET STREAM AQUAJET



## Specifications

	Aqua Jet 35 3EXB0037	Aqua Jet 50 3EXB0038
<b>Item No.</b>		
<b>Electric tension</b>	230 V	230 V
<b>Capacity of pump (m<sup>3</sup>/h)</b>	32	48
<b>Current rate (m/s)</b>	0.9	1.1
<b>Quantity of jet / diameter (m<sup>3</sup>/h)</b>	1/28	1/40
<b>Omnidirectional swivelling jet (°)</b>	60	20
<b>Type of control</b>	Pneumatic	
<b>ON / OFF switch</b>	yes	yes
<b>LED lights</b>	yes	yes



## Accessories


<b>Item no.</b>	3BTE0313
<b>Supporting leg (for above ground pools)</b>	
<b>Weight</b>	2.5 kg

# VACUUM CLEANERS

## G2

3BVZ0191

- ▶ Semi-automatic vacuum cleaner
- ▶ For an above or in-ground pool with a flat or slanting base
- ▶ For the pool sand filter with flow rate 7–9 m<sup>3</sup>/h
- ▶ Flow rate controller
- ▶ Connecting hose 10 m incl.



## Super G+

3BVZ0190

- ▶ Semi-automatic high performance vacuum cleaner
- ▶ For an above or in-ground pool with a flat or slanting base
- ▶ For the pool sand filter with flow rate 7 m<sup>3</sup>/h
- ▶ Cleans the base and wall of pool
- ▶ Flow rate controller
- ▶ Special filter to catch added dirt
- ▶ Connecting hose 12 m incl.



## NEW

## MX 8

3BVZ0206

- ▶ Semi-automatic vacuum cleaner utilized an innovative cyclonic system
- ▶ For an above or in-ground pool with a flat or slanting base
- ▶ Connect by Twist Lock hose reduces vacuum loss
- ▶ For the pool sand filter with flow rate from 7 m<sup>3</sup>/h
- ▶ Cleans the base and wall of pool
- ▶ Flow rate controller
- ▶ Connecting hose 12 m incl.



# POOL ACCESSORIES



## Leaf Skimmers and Deep-Bag Skimmers



**3BVZ0112**  
Leaf skimmer  
De Luxe



**3BVZ0048**  
Deep bag rake  
De Luxe



**3BVZ0049**  
Leaf skimmer



**3BVZ0047**  
Deep bag rake

## Other Accessories



**3BVZ0114**  
De luxe Air Pillow



**3BVZ0141**  
Corner step  
VAC brush



**3BVZ0040**  
Chlorine  
dispenser



**3BVZ0051**  
Leaf skimmer  
with handle  
1,3 m



**3BVZ0007**  
25 cm floor  
and wall  
brush



**3BVZ0008**  
45 cm floor  
and wall brush



**3BVZ0113**  
Floating  
thermometer  
with buoy

NEW



**3BVZ0199**  
Green Line 6 Kit

### Set contains:

- ▶ Wall brush 20"/50 cm
- ▶ Deep leaf skimmer
- ▶ Telesc. pole with grip 6' to 12'
- ▶ Multi-purpose rack
- ▶ Triangular vacuum head
- ▶ Thermometer 8"

## Green-Line Accessories



**3BVZ0142**  
Triangular  
vacuum head




**3BVZ0145**  
Deep leaf skimmer



**3BVZ0164**  
Multi-purpose  
rack

**3BVZ0143**  
Wall brush 10"/25 cm

**3BVZ0144**  
Wall brush 20"/50 cm



**3BVZ0163**  
Chlorine dispenser



**3BVZ0149**  
Thermometer 8"



**3BVZ0146**  
Leaf skimmer



**3BVZ0147** with grip 6" to 12"

## Hoses for pool



**3BRO0006**  
Hose for pool diameter  
32 mm, roll 50 metres

**3BRO0007**  
Hose for pool diameter  
38 mm, roll 45 metres

## Mechanical Vacuum Cleaners



**3BVZ0002**  
Ocean Vac  
De Luxe Head



**3BVZ0004**  
Tri-Vac Head



**3BVZ0011**  
Moon Vac  
Head

# FELT UNDERLAY SOLAR COVER DEBRIS COVER

**NEW**

## Debris Cover Universal

Universal debris cover a specially made to your order, all sizes possible.



## Accessories

Item no.	Description
3BPZ0108	Roller for debris cover universal

## Felt Underlay

Surface density 300 g/m<sup>2</sup>

Item no.	Description	Diameter (m)
3BPZ0019	Felt underlay for pool	3.6
3BPZ0020	Felt underlay for pool	4.6
3BPZ0021	Felt underlay for pool	5.5
3BPZ0022	Felt underlay for pool	5.5 x 3.7
3BPZ0023	Felt underlay for pool	7.3 x 3.7
3BPZ0064	Felt underlay for pool	6.4
3BPZ0065	Felt underlay for pool	9.1 x 4.6



## Debris Cover with guard (high quality)

Item no.	Description	Diameter (m)
3BVZ0125	Debris cover Supreme	3.6
3BVZ0126	Debris cover Supreme	4.6
3BVZ0127	Debris cover Supreme	5.5
3BVZ0128	Debris cover Supreme	5.5 x 3.7
3BVZ0129	Debris cover Supreme	7.3 x 3.7
3BVZ0130	Debris cover Supreme	6.4
3BVZ0131	Debris cover Supreme	9.1 x 4.6



## Solar Cover Thickness 200 microns

Item no.	Description	Diameter (m)
3BVZ0026	Solar cover for pool	3.6
3BVZ0028	Solar cover for pool	4.6
3BVZ0032	Solar cover for pool	5.5
3BVZ0033	Solar cover for pool	5.5 x 3.7
3BVZ0034	Solar cover for pool	7.3 x 3.7
3BVZ0029	Solar cover for pool	6.4
3BVZ0030	Solar cover for pool	9.1 x 4.6



# CHEMICALS



Mountfield produces its own wide range of AZURO swimming pool chemicals, offering the protection and necessary care of water in your pool. We offer high quality chlorine and chlorine-free chemicals, anti-algae agents, cleaners, water treatment agents and water testers.

# CHEMICALS



A promotional image for chlorine products. It features a blue header with the Azuro logo and the text "Chlorine Products". Below the header is a photograph of two children playing in a swimming pool. A red banner at the bottom right corner contains the word "Mountfield".

## CHLORINE PRODUCTS

- ▶ **Azuro Chlorine G Shock** - fast dissolving chlorinated shock treatment, granulated
- ▶ **Azuro Chlorine T** - slowly dissolving chlorine tablets
- ▶ **Azuro Chlor Trio** - chlorine tablets with a triple effect (chlorine, flocculant, anti-algae)
- ▶ **Azuro Chlorine Stabil** - chlorine stabilizer
- ▶ **Azuro Blue Shot** - instant agent



A promotional image for chlorine-free products. It features a green header with the Azuro logo and the text "Chlorine Free Products". Below the header is a photograph of two children playing in a swimming pool. A red banner at the bottom right corner contains the word "Mountfield".

## CHLORINE FREE PRODUCTS

- ▶ **Azuro OXI L** - fast dissolving treatment by active oxygen
- ▶ **Azuro Mini OXI** - carefull water desinfection by active oxygen
- ▶ **Azuro Mini BIO** - carefully dissolves bio-enzyms without chlorine
- ▶ **Azuro BIO-L** - quickly and carefully dissolves bio-enzyms without chlorine

A promotional image for additional products. It features a pink header with the Azuro logo and the text "Additional Products". Below the header is a photograph of two children playing in a swimming pool. A red banner at the bottom right corner contains the word "Mountfield".

## ADDITIONAL PRODUCTS

- ▶ **Azuro ALG** - anti-algae solution
- ▶ **Azuro Ca** - water hardness stabiliser
- ▶ **Azuro Clear** - special cleaning agent
- ▶ **Azuro Flokul** - liquid floclulant
- ▶ **Azuro Winter** - winterising agent
- ▶ **Azuro pH minus** - decreases water pH
- ▶ **Azuro pH plus** - increase water pH



## WATER TESTING

- ▶ **pH, Cl Test Kit**
- ▶ **pH, O2 Test Kit**



# Mountfield

## SWIMMING POOLS – ENCLOSURES – CHEMICALS – ACCESSORIES

### Mailing address

Mountfield, a.s.  
Mirošovická 697  
251 64 Mnichovice u Prahy  
Czech Republic

[www.mountfield.cz](http://www.mountfield.cz)

### Head Office

Mountfield, a.s.  
Všechnomy 56/Highway D1, exit 15  
251 63 Strančice  
Czech Republic

### Contacts

Tel: +420 255 704 261  
Fax: +420 255 704 263  
email: [export@mountfield.cz](mailto:export@mountfield.cz)

[www.mountfield-pool.com](http://www.mountfield-pool.com)  
[www.mountfield-export.com](http://www.mountfield-export.com)